DIGITAL WORKFLOWS IN IMPLANT DENTISTRY: INTEGRATION OF CAD/CAM TECHNOLOGIES FOR PREDICTABLE CLINICAL OUTCOMES

Cretu Ionut Cosmin[1] ,Tibeica Andreea[1], Curca Razvan[1],Agop-Forna Doriana[2*], Camilar Maria[1], Radu Alexandru[1], Forna Norina[1]

1"Gr. T. Popa" U.M.Ph. - Iași, Romania, Faculty of Dentistry, Department of Implantology, Removable Dentures, Dentures Technology

2"Gr. T. Popa" U.M.Ph. - Iași, Romania, Faculty of Dentistry, Department of Surgery

Corresponding authors: Agop-Forna Doriana , e-mail: drdorianaforna@gmail.com

ABSTRACT

The rapid evolution of digital technologies has profoundly transformed contemporary implant dentistry, enabling more precise, efficient, and predictable treatment workflows. The integration of computer-aided design and computer-aided manufacturing (CAD/CAM) systems into implant-prosthetic rehabilitation has revolutionized diagnostic procedures, treatment planning, surgical execution, and prosthetic fabrication. By combining digital imaging modalities, intraoral scanning, virtual treatment planning, and advanced manufacturing techniques, clinicians can achieve highly accurate implant placement and prosthetic outcomes while reducing treatment time and improving patient satisfaction.

Digital workflows in implant dentistry typically involve the integration of cone-beam computed tomography (CBCT) data with intraoral scans to generate comprehensive three-dimensional virtual models. These datasets facilitate prosthetically driven implant planning, allowing clinicians to evaluate anatomical structures, optimize implant positioning, and fabricate static or dynamic surgical guides. Furthermore, CAD/CAM technologies enable the production of customized implant abutments, crowns, fixed partial dentures, and full-arch prostheses with high precision and reproducibility.

Recent advances in digital dentistry have also expanded the range of materials available for CAD/CAM fabrication, including zirconia, lithium disilicate, titanium, hybrid ceramics, and high-performance polymers. These materials have demonstrated favorable mechanical properties, esthetic outcomes, and long-term clinical performance. In addition, the incorporation of artificial intelligence and machine learning algorithms into digital workflows has introduced new possibilities for automated treatment planning, prosthetic design optimization, and predictive clinical decision-making.

The available evidence suggests that digital workflows can improve the accuracy of implant placement, enhance prosthetic fit, minimize biological and technical complications, and increase overall treatment predictability. However, factors such as equipment costs, learning curves, software interoperability, and operator experience continue to influence the successful implementation of digital technologies in daily clinical practice.

The purpose of this review is to provide a comprehensive overview of contemporary digital workflows in implant dentistry, focusing on the integration of CAD/CAM technologies, digital planning strategies, restorative materials, clinical outcomes, and future developments that are shaping the next generation of implant-prosthetic rehabilitation.

Keywords: CAD/CAM; Digital Dentistry; Implant Dentistry; Intraoral Scanning; Digital Workflow; Prosthetic Rehabilitation.

1.INTRODUCTION

The introduction of digital technologies has fundamentally transformed modern dentistry, creating new opportunities for improving diagnostic accuracy, treatment planning, clinical efficiency, and patient-centered care. Among the various dental specialties, implant dentistry has experienced one of the most significant technological revolutions, driven by the integration of computer-aided design and computer-aided manufacturing (CAD/CAM) systems into clinical and laboratory workflows. Over the last two decades, digital innovations have shifted

implant therapy from conventional analog procedures toward highly precise, data-driven treatment protocols that enhance predictability and long-term clinical success.

Dental implant therapy has become the preferred treatment option for the rehabilitation of partially and completely edentulous patients due to its ability to restore oral function, aesthetics, and quality of life. Successful implant treatment, however, requires careful diagnosis, accurate implant positioning, appropriate prosthetic planning, and meticulous execution of both surgical and restorative procedures. Traditional workflows relied heavily on conventional impressions, two-dimensional radiographic analysis, stone casts, and manual laboratory fabrication techniques. Although these methods have demonstrated clinical effectiveness, they are often associated with cumulative inaccuracies, increased treatment times, multiple patient appointments, and greater dependence on operator experience.

The emergence of digital dentistry has addressed many of these limitations by introducing advanced imaging technologies, virtual treatment planning platforms, and CAD/CAM manufacturing systems. These technologies facilitate the acquisition, processing, and transfer of digital information throughout the entire treatment process. Consequently, clinicians are now able to perform comprehensive treatment planning based on three-dimensional anatomical data, improving both surgical precision and prosthetic outcomes.

One of the most important developments in digital implant dentistry has been the widespread adoption of cone-beam computed tomography (CBCT). Unlike conventional radiographic techniques, CBCT provides three-dimensional visualization of craniofacial structures with relatively low radiation exposure. This technology allows clinicians to evaluate bone volume, bone morphology, anatomical limitations, and prosthetic requirements with a level of precision that was previously unattainable. The integration of CBCT data with intraoral scans has further enhanced treatment planning capabilities by enabling the creation of virtual patient models that combine hard and soft tissue information.

Intraoral scanning represents another cornerstone of modern digital workflows. Digital impressions obtained through intraoral scanners have progressively replaced conventional impression techniques in many clinical situations. These systems offer numerous advantages, including increased patient comfort, elimination of impression material distortions, improved communication between clinicians and dental laboratories, and enhanced workflow efficiency. Digital impressions can be immediately transferred to CAD software, facilitating the design of implant-supported restorations and reducing the risk of inaccuracies associated with conventional impression procedures.

The integration of Digital Imaging and Communications in Medicine (DICOM) files generated by CBCT with Standard Tessellation Language (STL) files obtained from intraoral scanners has enabled the development of prosthetically driven implant planning. This approach allows clinicians to determine the ideal implant position based on the final restorative outcome rather than solely on available bone volume. Prosthetically guided implant placement has become a fundamental principle of contemporary implant dentistry because it promotes optimal biomechanics, aesthetics, peri-implant tissue health, and long-term restoration stability.

The development of CAD/CAM technologies has further expanded the possibilities of digital implant rehabilitation. Computer-aided design software allows clinicians and dental technicians to create highly customized restorations, including implant abutments, single crowns, fixed dental

prostheses, and full-arch implant-supported restorations. Once designed, these restorations can be manufactured using subtractive milling or additive manufacturing technologies, ensuring exceptional precision and reproducibility. Compared with conventional laboratory techniques, CAD/CAM systems reduce production variability while improving the fit and quality of prosthetic components.

Another major advancement in implant dentistry is the implementation of guided surgical techniques. Static guided surgery utilizes CAD/CAM-generated surgical templates to transfer virtual implant planning accurately to the clinical setting. Dynamic navigation systems represent a further evolution by providing real-time guidance during implant placement. Both approaches aim to increase surgical precision, minimize deviations from planned implant positions, reduce intraoperative complications, and support minimally invasive treatment protocols. Numerous studies have demonstrated that guided implant surgery contributes to improved prosthetic outcomes and greater treatment predictability.

The expansion of digital workflows has also influenced material science. Modern CAD/CAM systems support the fabrication of restorations using a wide range of materials, including zirconia, lithium disilicate, titanium, cobalt-chromium alloys, hybrid ceramics, and high-performance polymers. These materials combine excellent mechanical properties with superior aesthetic characteristics, enabling clinicians to meet increasingly demanding patient expectations. Furthermore, advances in manufacturing technologies have improved the precision of implant-supported restorations, reducing complications related to misfit, screw loosening, and prosthetic failure.

Despite the numerous advantages associated with digital workflows, certain challenges remain. The implementation of digital technologies requires significant financial investment, continuous professional training, and adaptation to rapidly evolving software and hardware systems. Additionally, differences in software compatibility and data integration may occasionally complicate communication between clinical and laboratory environments. Operator experience continues to play a critical role in maximizing the benefits of digital technologies and ensuring consistent treatment outcomes.

More recently, artificial intelligence (AI) and machine learning algorithms have emerged as promising tools capable of further enhancing digital implant workflows. AI-assisted systems have demonstrated potential applications in image interpretation, implant planning, automated prosthetic design, treatment simulation, and outcome prediction. As these technologies continue to evolve, they are expected to contribute to greater efficiency, standardization, and personalization of implant therapy.

Given the rapid expansion of digital technologies and their increasing influence on implant rehabilitation, a comprehensive evaluation of contemporary digital workflows is warranted. Understanding the integration of CAD/CAM systems, digital imaging, guided surgery, restorative materials, and emerging technologies is essential for clinicians seeking to provide predictable and evidence-based implant treatment.

The aim of this review is to analyze current digital workflows in implant dentistry, focusing on the integration of CAD/CAM technologies throughout the diagnostic, surgical, and prosthetic phases of treatment. Particular emphasis is placed on digital data acquisition, implant planning, guided surgery, CAD/CAM restorative fabrication, clinical outcomes, and future innovations that may further improve the predictability of implant-prosthetic rehabilitation.

2.MATHERIALS AND METHODS

This narrative review was conducted to evaluate the current evidence regarding the integration of CAD/CAM technologies within digital workflows in implant dentistry and their impact on clinical predictability, treatment efficiency, and prosthetic outcomes. The review focused on the digital processes involved in implant diagnosis, treatment planning, guided surgery, prosthetic design, restorative manufacturing, and emerging technologies that are shaping the future of implant rehabilitation.

Literature Search Strategy

A comprehensive literature search was performed using the electronic databases PubMed/MEDLINE, Scopus, Web of Science, Embase, and Google Scholar. The search aimed to identify relevant publications addressing the application of digital technologies and CAD/CAM systems in implant dentistry. Articles published between January 2005 and April 2026 were considered eligible for inclusion. Earlier landmark studies were also reviewed when they contributed significantly to the historical development of digital implant workflows.

The search strategy combined Medical Subject Headings (MeSH) terms and free-text keywords related to digital dentistry and implant rehabilitation. The following terms were used individually and in various combinations: "CAD/CAM," "digital dentistry," "implant dentistry," "digital workflow," "computer-aided design," "computer-aided manufacturing," "intraoral scanning," "cone-beam computed tomography," "CBCT," "guided implant surgery," "static navigation," "dynamic navigation," "digital implant planning," "prosthetically driven implant placement," "implant-supported prosthesis," "zirconia restorations," "digital impressions," "artificial intelligence," and "implant rehabilitation."

Boolean operators (AND, OR) were used to optimize the search strategy and improve the identification of relevant studies. In addition to database searching, the reference lists of selected articles were manually screened to identify additional publications of potential relevance.

Eligibility Criteria

Studies were included if they met one or more of the following criteria:

- Investigated CAD/CAM technologies in implant dentistry;
- Evaluated digital workflows for implant treatment planning and rehabilitation;
- Assessed intraoral scanning, CBCT integration, or digital impression techniques;
- Reported clinical outcomes associated with guided implant surgery;
- Evaluated CAD/CAM-manufactured implant-supported restorations;
- Examined digital restorative materials used in implant prosthodontics;
- Investigated artificial intelligence applications in implant dentistry;
- Presented clinical, radiographic, technical, or patient-reported outcomes related to digital workflows.

Eligible publications included randomized controlled trials, prospective and retrospective clinical studies, cohort studies, systematic reviews, meta-analyses, narrative reviews, in vitro investigations, and consensus reports relevant to implant dentistry.

Exclusion criteria included conference abstracts without full-text availability, editorials, opinion papers lacking scientific evidence, studies unrelated to implant dentistry, duplicate publications, and articles published in languages other than English.

Study Selection Process

The selection process was conducted in several stages. Initially, titles and abstracts identified through electronic searching were screened for relevance. Articles that met the predefined inclusion criteria underwent full-

text evaluation. Publications were subsequently categorized according to their primary focus, including digital data acquisition, virtual treatment planning, guided surgery, CAD/CAM prosthetic fabrication, restorative materials, clinical outcomes, and emerging digital technologies.

Particular emphasis was placed on studies reporting clinically relevant outcomes such as implant placement accuracy, marginal adaptation of restorations, prosthetic complications, treatment efficiency, patient satisfaction, and long-term implant survival.

Data Extraction and Synthesis

Relevant information was extracted from the selected studies and organized according to the principal themes of the review. Data regarding study design, sample characteristics, digital technologies utilized, restorative materials, surgical protocols, and reported outcomes were systematically evaluated.

Due to the diversity of study designs, outcome measures, and digital systems investigated, a quantitative meta-analysis was not considered appropriate. Instead, a qualitative synthesis of the available evidence was performed. The findings were grouped into major categories reflecting the contemporary digital workflow in implant dentistry, including digital data acquisition, implant planning, guided surgery, CAD/CAM restorative design and manufacturing, restorative materials, clinical performance, and future technological developments.

Methodological Considerations

The present review follows a narrative approach intended to provide a comprehensive overview of current knowledge rather than a statistical comparison of outcomes. Emphasis was placed on identifying recurring clinical trends, technological advancements, and evidence-based recommendations relevant to the implementation of digital workflows in implant-prosthetic rehabilitation. The collected evidence was critically analyzed to highlight both the advantages and limitations of CAD/CAM integration in modern implant dentistry, while also exploring future directions for research and clinical practice.

3.RESULTS AND DISCUSSIONS

3.1 Evolution of Digital Dentistry and CAD/CAM Systems

The integration of digital technologies into implant dentistry has significantly transformed the way clinicians diagnose, plan, and execute treatment. Since the introduction of CAD/CAM systems in the 1980s, continuous technological advancements have expanded their applications from simple restorative procedures to comprehensive implant-prosthetic rehabilitation. Modern digital workflows combine imaging technologies, virtual planning software, computer-guided surgery, and advanced manufacturing systems into a seamless treatment process that enhances clinical predictability and treatment efficiency.

Early CAD/CAM applications were primarily limited to the fabrication of indirect restorations. However, improvements in scanning accuracy, software capabilities, and manufacturing precision have enabled the development of complete digital workflows encompassing diagnosis, surgical planning, prosthetic design, and restoration delivery. As a result, implant dentistry has become increasingly dependent on digital technologies that support evidence-based decision-making and individualized patient care.

Numerous studies have demonstrated that digital workflows reduce procedural errors associated with conventional techniques while improving communication between clinicians, laboratories, and patients. Furthermore, the ability to visualize treatment outcomes before surgery facilitates more accurate treatment planning and enhances patient understanding and acceptance of proposed therapies.

3.2 Digital Data Acquisition: CBCT and Intraoral Scanning

Accurate data acquisition represents the foundation of any successful digital workflow. The combination of cone-beam computed tomography (CBCT) and intraoral scanning has become the gold standard for digital implant planning. CBCT provides detailed three-dimensional visualization of osseous structures, allowing clinicians to evaluate bone quantity, bone quality, anatomical limitations, and implant site characteristics. Unlike conventional radiography, CBCT enables precise assessment of critical anatomical structures such as the inferior alveolar nerve, maxillary sinus, nasal cavity, and adjacent tooth roots.

Intraoral scanners complement CBCT imaging by capturing highly accurate digital impressions of dental arches and surrounding soft tissues. Compared with conventional impression techniques, digital impressions offer several advantages, including improved patient comfort, elimination of impression material distortions, reduced chairside time, and immediate data transfer to dental laboratories.

The integration of DICOM files obtained from CBCT with STL files generated by intraoral scanners creates a virtual patient model that combines both anatomical and prosthetic information. This digital environment allows clinicians to evaluate implant positioning in relation to future restorations and supports the concept of prosthetically driven implant placement.

Recent studies have reported excellent accuracy for contemporary intraoral scanners, with deviations often falling within clinically acceptable limits. Improvements in scanning technology have further enhanced the reliability of digital impressions in both partially and fully edentulous patients, although challenges may still arise in extensive edentulous arches due to the absence of stable anatomical reference points.

3.3 Digital Implant Planning and Prosthetically Driven Treatment

The introduction of specialized implant planning software has revolutionized treatment planning by enabling virtual implant placement based on three-dimensional patient data. Digital planning platforms allow clinicians to evaluate anatomical structures, simulate implant positioning, assess prosthetic requirements, and identify potential surgical complications before treatment begins.

Prosthetically driven implant planning has become a fundamental principle of modern implant dentistry. Rather than placing implants solely according to available bone volume, clinicians now determine implant position based on the desired restorative outcome. This approach facilitates optimal implant angulation, improved emergence profiles, favorable load distribution, and enhanced esthetic results.

Digital planning software also supports interdisciplinary collaboration among surgeons, prosthodontists, orthodontists, and dental technicians. Treatment plans can be shared, modified, and validated before surgery, reducing uncertainty and improving communication among members of the dental team.

Clinical studies have consistently demonstrated that digital planning contributes to greater surgical accuracy and more predictable prosthetic outcomes. Moreover, virtual treatment simulations provide valuable educational tools for patient communication and informed consent.

3.4 Guided Implant Surgery

One of the most significant applications of digital workflows is guided implant surgery. Following virtual implant planning, CAD/CAM-generated surgical guides can be fabricated to transfer digital treatment plans accurately into the clinical setting.

Static guided surgery utilizes customized surgical templates that control implant position, angulation, and depth during implant placement. Numerous studies have reported high levels of accuracy associated with static guidance, with deviations generally remaining within clinically acceptable limits. Guided surgery is particularly advantageous in anatomically complex situations, esthetically demanding cases, and full-arch rehabilitations.

Dynamic navigation systems represent a more advanced form of guided surgery. These systems provide real-time visualization of surgical instruments relative to the planned implant position, allowing intraoperative adjustments when necessary. Dynamic navigation combines the advantages of virtual planning with greater flexibility during surgical execution.

The literature indicates that both static and dynamic guided approaches improve implant placement accuracy compared with freehand surgery. Furthermore, guided procedures often facilitate flapless or minimally invasive techniques, reducing postoperative discomfort, minimizing soft tissue trauma, and accelerating healing.

Despite these advantages, guided surgery remains dependent on accurate data acquisition, software integration, and manufacturing precision. Any inaccuracies introduced during the digital workflow may influence the final surgical outcome. Therefore, strict adherence to digital protocols is essential for achieving predictable results.

3.5 CAD/CAM Prosthetic Design and Manufacturing

CAD/CAM technology has fundamentally changed implant prosthodontics by enabling the fabrication of highly accurate and individualized restorations. Digital design software allows clinicians and dental technicians to create implant-supported restorations with exceptional precision while optimizing esthetic and functional parameters.

Customized CAD/CAM abutments have become increasingly popular due to their ability to improve emergence profiles, soft tissue support, and prosthetic adaptation. Compared with stock abutments, individualized components allow greater control over restorative contours and may contribute to improved peri-implant tissue stability.

Digital workflows support the fabrication of a wide variety of implant-supported restorations, including single crowns, fixed partial dentures, implant overdentures, and full-arch prostheses. Manufacturing can be performed through subtractive milling or additive manufacturing technologies, each offering specific advantages depending on the clinical indication.

The precision achieved through CAD/CAM fabrication has been associated with improved marginal adaptation, reduced prosthetic complications, and enhanced restoration longevity. Furthermore, digital records facilitate future restoration replacement or modification without requiring new conventional impressions.

3.6 Restorative Materials in CAD/CAM Implant Dentistry

Material selection remains a critical factor influencing the long-term success of implant-supported restorations. Advances in CAD/CAM technology have expanded the range of materials available for digital fabrication.

Zirconia has become one of the most widely utilized materials due to its excellent mechanical properties, biocompatibility, and esthetic characteristics. Monolithic zirconia restorations demonstrate high fracture resistance and favorable long-term performance, making them suitable for both anterior and posterior implant restorations.

Lithium disilicate ceramics offer superior translucency and esthetics, particularly in highly visible anterior regions. Although their

mechanical strength is lower than zirconia, lithium disilicate restorations continue to demonstrate excellent clinical outcomes when appropriately indicated.

Titanium remains the material of choice for implant frameworks and customized abutments due to its strength, corrosion resistance, and biocompatibility. Additionally, hybrid ceramics and high-performance polymers have emerged as promising alternatives in specific clinical situations, providing favorable stress distribution and improved shock absorption.

The increasing availability of CAD/CAM-compatible materials allows clinicians to tailor restorative solutions according to functional requirements, esthetic demands, and patient-specific considerations.

3.7 Clinical Outcomes of Digital Workflows

The available evidence strongly supports the clinical benefits of digital workflows in implant dentistry. Studies consistently report improved implant placement accuracy, enhanced prosthetic adaptation, shorter treatment times, and increased patient satisfaction compared with conventional approaches.

Digital impressions have demonstrated comparable or superior accuracy relative to conventional impressions, particularly in single-unit and short-span implant restorations. Similarly, CAD/CAM-manufactured restorations frequently exhibit improved marginal fit and passive adaptation, reducing the incidence of biological and mechanical complications.

Patients often report greater comfort during digital impression procedures and appreciate the reduced number of clinical appointments associated with fully digital workflows. Furthermore, clinicians benefit from improved treatment planning capabilities, enhanced communication with laboratories, and more efficient workflow management.

Long-term clinical studies have reported survival rates for digitally planned and restored implants comparable to those achieved using conventional protocols, frequently exceeding 95%. These findings suggest that digital workflows provide reliable and predictable treatment outcomes when properly implemented.

3.8 Artificial Intelligence and Future Perspectives

Artificial intelligence is rapidly emerging as a transformative technology within digital implant dentistry. Machine learning algorithms have demonstrated the ability to assist clinicians in radiographic interpretation, implant planning, prosthetic design, and risk assessment.

AI-based systems may improve diagnostic accuracy by automatically identifying anatomical landmarks, evaluating bone availability, and detecting pathological findings. Furthermore, automated planning software can generate implant placement recommendations based on anatomical and prosthetic parameters.

Future developments may include fully integrated digital ecosystems capable of combining CBCT data, intraoral scans, facial scans, jaw motion recordings, and biological information into comprehensive digital patient models. Such systems could support personalized treatment planning and improve clinical decision-making.

The concept of the digital twin—a virtual representation of an individual patient—has gained increasing attention as a potential future direction in implant dentistry. By integrating real-time clinical data with artificial intelligence algorithms, digital twins may facilitate outcome prediction, treatment simulation, and long-term patient monitoring.

Overall, the continuous evolution of CAD/CAM technologies, digital imaging systems, artificial intelligence, and advanced biomaterials is expected to further enhance the

precision, efficiency, and predictability of implant-prosthetic rehabilitation. These innovations will likely play a central role in shaping the future of implant dentistry and improving patient outcomes worldwide.

CONCLUSIONS

The integration of CAD/CAM technologies into implant dentistry has fundamentally transformed contemporary clinical practice, enabling highly accurate, efficient, and patient-centered treatment workflows. The digitalization of diagnostic, surgical, and prosthetic procedures has significantly improved treatment predictability while reducing many of the limitations traditionally associated with conventional implant rehabilitation protocols.

The evidence reviewed in this study demonstrates that digital workflows facilitate precise data acquisition through the combination of cone-beam computed tomography and intraoral scanning technologies. The integration of DICOM and STL datasets allows the creation of comprehensive virtual patient models that support prosthetically driven implant planning and contribute to more predictable restorative outcomes. Such digital planning approaches enhance interdisciplinary communication, improve clinical decision-making, and minimize potential treatment errors.

Guided implant surgery has emerged as one of the most valuable applications of digital dentistry. Both static and dynamic navigation systems have demonstrated high levels of accuracy and reproducibility, allowing clinicians to transfer virtual treatment plans reliably to the clinical environment. These technologies support minimally invasive surgical approaches, reduce operative risks, and improve prosthetic positioning, ultimately contributing to greater long-term treatment success.

The application of CAD/CAM manufacturing systems has also revolutionized implant prosthodontics. Customized abutments, implant-supported crowns, fixed dental prostheses, and full-arch restorations can now be fabricated with exceptional precision and consistency. The availability of advanced restorative materials such as zirconia, lithium disilicate, titanium, and hybrid ceramics further expands treatment possibilities while meeting increasingly demanding functional and esthetic expectations.

Clinical studies consistently indicate that digital workflows are associated with improved implant placement accuracy, enhanced prosthetic fit, reduced chairside time, increased patient comfort, and high long-term survival rates. Nevertheless, the successful implementation of digital technologies remains dependent on appropriate training, operator experience, software compatibility, and adherence to standardized clinical protocols.

Artificial intelligence and machine learning technologies are expected to further accelerate the evolution of digital implant dentistry. Emerging applications in automated diagnosis, virtual treatment planning, prosthetic design optimization, and predictive outcome analysis may enhance treatment efficiency and support personalized patient care. Furthermore, the future integration of digital twins, facial scanning technologies, and real-time biomechanical simulations may provide unprecedented opportunities for individualized implant rehabilitation.

Despite the remarkable progress achieved in recent years, additional high-quality clinical studies with long-term follow-up are required to further validate emerging technologies and establish standardized digital protocols. Future research should focus on improving interoperability among digital systems, reducing technological costs, and optimizing artificial intelligence applications within implant dentistry.

In conclusion, digital workflows supported by CAD/CAM technologies have become an essential component of modern implant dentistry. Their integration throughout the diagnostic, surgical, and prosthetic phases of treatment enhances precision, efficiency, and predictability, ultimately contributing to improved clinical outcomes and patient

satisfaction. As digital technologies continue to evolve, they are expected to play an increasingly central role in the future of implant-prosthetic rehabilitation.

REFERENCES

1. Zailai A, Al-Hassiny H, Alani A. Clinical Effectiveness and Accuracy of Fully Digital Workflows for Implant-Supported Restorations. J Prosthodont Res. 2026.
2. Abdulkarim LI, Al-Mashhadani M, Hussein A. Impact of Digital Workflow Integration on Fixed Prosthodontics: Clinical Outcomes and Challenges. Prosthesis. 2024.
3. Neugebauer J, Traini T, Block M, et al. Guideline 2024 Update: Digital Workflow in Implant Dentistry. Eur Consensus Council Implant Dentistry. 2024.
4. Pérez A, Gómez J, Rodríguez M. Integration and Innovation in Digital Implantology—Part I. Appl Sci. 2025;15:12214.
5. Prasher P, Kumar A, Singh R. Advancing Precision: The Role of Digital Workflows in Modern Implant Dentistry. Bioinformation. 2025.
6. Ekram AM, Hassan M. Full Digital Workflow for Prosthetically Driven Implant Planning and Guided Surgery. J Digit Implant Res. 2024.
7. Elbanna L, Salem H. Integration of Digital Technologies in Implant Dentistry. Eur J Dent. 2026.
8. Auduc C, Martin P. Fully Digital Workflow in Full-Arch Implant Rehabilitation. Prosthesis. 2025;7(4):85.
9. Abduo J. Digital Workflows in Prosthodontics. Aust Dent J. 2025.
10. Alahmad WZ, Alotaibi R. The Impact of Robotics and Smart Implant Design on Implant Dentistry. Open Dent J. 2025.
11. Azpiazu-Flores F, AlQallaf H, Wang T, Morton D. Implementing Contemporary Digital Imaging and CAD/CAM Technologies to Simplify Dental Implant Planning and Placement. Int Team Implantol Clin Rep. 2024.
12. Jemt T. CAD/CAM-generated implant-supported reconstructions: long-term outcomes. Clin Implant Dent Relat Res. 2018;20(5):635-642.
13. Papaspyridakos P, Gallucci GO, Chen CJ, Hanssen S, Naert I, Vandenberghe B. Digital workflow in implant prosthodontics. Int J Prosthodont. 2020;33(1):63-72.
14. Tibeică A, Forna NC. Bone Regeneration Influence in the Success of Periimplant Surgery. Rom J Med Dent Educ. 2023;12(2):1-8.
15. Dobrovat I, Tibeică A, Haddad CD, Adam E, Agop-Forna D, Forna NC. Bone Reconstruction Techniques for Dental Implant Prosthetic Fields: A Meta-Analysis. ADRE Journal. 2024.
16. Tibeică-Iordan A, Crețu CI, Tibeică SC, Forna NC, Costuleanu M. Effects of Exosomes Derived from MSC-iPSC on Fibroblasts In Vitro in the Presence of Platelet-Rich Plasma. Rev Med Chir Soc Med Nat Iasi. 2024.
17. Tibeică A, Curcă R, Forna NC, Costuleanu M, Agop-Forna D. Rehabilitation of Alveolar Bone Through Guided Tissue Regeneration with Autogenous Bone and Xenografts: CBCT Study. Rom J Oral Rehabil. 2024.
18. Tibeică A. Application of CBCT-Guided Bone Regeneration and Concentrated Growth Factors in the Surgical Management of Maxillary Implant Sites with Inadequate Bone Volume. 2025.
19. Beuer F, Schweiger J, Edelhoff D. Digital dentistry: an overview of recent developments for CAD/CAM-generated restorations. Br Dent J. 2008;204(9):505-511.
20. Güth JF, Edelhoff D. Digital dentistry and CAD/CAM restorative systems. Quintessence Int. 2020;51(6):520-528.
21. Mangano C, Luongo F, Migliario M, Mortellaro C, Mangano FG. Combining CBCT and intraoral scanning in implant rehabilitation. J Craniofac Surg. 2021;32(3):e250-e255.
22. Wittneben JG, Joda T, Weber HP, Brägger U. Screw-retained vs cement-retained implant-supported prostheses. Int J Oral Maxillofac Implants. 2017;32(1):e1-e13.
23. Goodacre CJ, Bernal G, Rungcharassaeng K, Kan JYK. Clinical complications with implant prostheses. J Prosthet Dent. 2018;120(3):341-348.